

p-Series Test

$$\text{The } p\text{-series of the form } \sum_{n=1}^{\infty} \frac{1}{n^p} = 1 + \frac{1}{2^p} + \frac{1}{3^p} + \frac{1}{4^p} + \dots \quad \left\{ \begin{array}{l} \text{Converges if } p > 1 \\ \text{Diverges if } p \leq 1 \end{array} \right.$$

USED: For *p*-series exactly of the form above. Most commonly partnered together with a Comparison Test.

NOTE: Using the *p*-Series Test is a very quick and straightforward justification. Check size of *p*.

WARNING: Be careful to understand the difference between the Geometric Series Test and this *p*-Series Test. Make sense of the value or purpose of $|r|$ and *p* for each convergence test. How can that help you memorize each test and the tests' size arguments?

APPROACH:

- Recognize the given series in this *p*-Series form. Notice when the base is changing and the power is a fixed real number.
- Pick off the power *p*. State clearly what the value *p* equals.
- Determine and then state if *p* is greater than 1 or ... less or equal to 1.

EXAMPLES: Determine and state whether each of the following series **Converges** or **Diverges**. Name any Convergence test(s) that you use, and justify all of your work.

1. $\sum_{n=1}^{\infty} \frac{1}{n^7} = 1 + \frac{1}{2^7} + \frac{1}{3^7} + \frac{1}{4^7} + \dots$ Convergent *p*-Series with $p = 7 > 1$.

2. $\sum_{n=1}^{\infty} \frac{1}{n} = 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \dots$ Divergent (Harmonic) *p*-Series with $p = 1$.

3. $\sum_{n=1}^{\infty} \frac{1}{n^{\frac{5}{2}}}$ Convergent *p*-Series with $p = \frac{5}{2} > 1$.

4. $\sum_{n=1}^{\infty} \frac{1}{n^{.99}}$ Divergent *p*-Series with $p = .99 < 1$.

5. $\sum_{n=1}^{\infty} \frac{6}{\sqrt{n}} = 6 \sum_{n=1}^{\infty} \frac{1}{n^{\frac{1}{2}}}$ *Constant Multiple* of a Divergent *p*-Series with $p = \frac{1}{2} < 1$ is Divergent.

6. $\sum_{n=1}^{\infty} \frac{5}{n^8} = 5 \sum_{n=1}^{\infty} \frac{1}{n^8}$ *Constant Multiple* of a Convergent *p*-Series with $p = 8 > 1$ is Convergent.